

PROSPAN

Cough Syrup - Solution



Composition:

120ml solution contain 0.84 g of ivy leaves dry extract (5 - 7.5 :1). Potassium Sorbate (preservative), anhydrous citric acid, xanthan gum, flavouring, sorbitol solution 70% (crystallising), purified water. 2.5ml solution contain 0.963g of the sugar substitute sorbitol = 0.08 BU.

Indications: Catarrhal diseases of the respiratory tract.

Read this leaflet carefully because it contains important information for you. This medicine is available without prescription.

1. WHAT PROSPAN COUGH SYRUP IS AND WHAT IT IS USED FOR

Prospan Cough Syrup is a herbal medicine used to treat catarrhal diseases of the respiratory tract, by its secretolytic, broncho-spasmodic and cough relieving effects.

Prospan Cough Syrup is used

to improve symptoms of chronic-inflammatory bronchial diseases; acute inflammations of the respiratory tract accompanied by coughing.

Note: In the event of persistent complaints or the appearance of shortness of breath, fever, as well as purulent or bloody expectoration, a doctor should be consulted immediately.

2. BEFORE YOU TAKE PROSPAN COUGH SYRUP

Do not take Prospan Cough Syrup

if you are hypersensitive (allergic) to the active substance or any of the other ingredients of Prospan Cough Syrup. (see composition)

Take special care with Prospan Cough Syrup:

Children:

Prospan Cough Syrup should be used in children under the age of one year only after consultation with a doctor. Compared with older children, this age group should be monitored very carefully when being given Prospan Cough Syrup, as particular attention must be paid to possible diarrhoea and vomiting. Please also read the notes contained in the section "Side effects".

Taking Prospan Cough Syrup together with other medicines:

Please tell your doctor if you are taking / using or have recently taken / used any other medicines, including medicines obtained without prescription. No interactions are known so far. However, no studies have been carried out.

Pregnancy and breast-feeding:

As no data are available on pregnancy and lactation, the preparation should be taken only after having consulted a doctor.

Driving and using machines:

No special precautions are needed.

Important information on certain other ingredients of Prospan Cough Syrup:

Contains sorbitol.

When used as directed, each dose of Prospan Cough Syrup contains up to 1.9g sorbitol. Please take Prospan Cough Syrup only after consultation with a doctor if you have a known intolerance to certain sugars. Patients with the rare hereditary fructose intolerance should not take Prospan Cough Syrup.

3. HOW TO TAKE PROSPAN COUGH SYRUP

Always take Prospan Cough Syrup exactly as described in this leaflet. You should check with your doctor if you are not sure. Unless otherwise prescribed by your doctor, the usual dose is:

Age	Dose
Children below 6 years of age	2.5 ml, 2 times daily
Children 6 to 12 years of age	5 ml, 2 times daily
Children over 12 years and adults	5 ml, 3 times daily
For children under the age of 1 year, please consult your doctor	

Method of use:

To be taken using the enclosed measuring cup.

Take the solution in the morning, (at noon) and in the evening.

Always shake the bottle before use.

How long you should keep taking Prospan Cough Syrup

Length of treatment is dependent on the nature and severity of the condition. However, even in the case of mild inflammation of the respiratory tract, treatment should last for one week at least. In the interest of ensuring that your recovery is permanent and complete, it is recommended that you should keep taking Prospan for another 2-3 days after your symptoms have disappeared. If you have the impression that the effect of Prospan Cough Syrup is too strong or too weak, talk to your doctor.

If you take more Prospan Cough Syrup:

Do not exceed the recommended daily dose. Ingestion of significantly higher amounts (more than three times the daily dose) may lead to nausea, vomiting or diarrhoea. In this case, you should consult your doctor.

If you forget to take Prospan Cough Syrup:

Do not take a double dose to make up for a forgotten dose. Simply continue to take Prospan Cough Syrup as prescribed by your doctor or as directed in this leaflet.

4. POSSIBLE SIDE EFFECTS

Like all medicines, Prospan Cough Syrup can cause side effects, although not everybody gets them.

Very rare (Less than 1 in 10,000 patients treated)

Allergic reactions such as shortness of breath, swelling, skin redness or itching may occur after taking medicines containing ivy.

Uncommon (1 to 10 in 1,000 patients treated)

In sensitive patients gastrointestinal complaints such as nausea, vomiting and diarrhoea may occur and there may be a laxative effect due to the sorbitol content.

If any of the side effects gets severe, or if you notice any side effects not listed in this leaflet, please tell your doctor.

5. HOW TO STORE PROSPAN COUGH SYRUP

Keep out of the reach of children.

Store below 25°C.

Do not use Prospan Cough Syrup after the expiry date which is stated on the outer carton and bottle. The expiry date refers to the last day of that month.

Shelf life after first opening of the bottle:

3 months after opening.

6. FURTHER INFORMATION

What Prospan Cough Syrup contains

The active substance is:

Ivy leaves dry extract

120 ml solution contain 0.84 g ivy leaves dry extract (5 - 7.5 :1).

What Prospan Cough Syrup looks like:

Prospan Cough Syrup is a light brown, slightly cloudy syrup and available in original pack of 120 ml solution.

Manufacturer:

Engelhard Arzneimittel GmbH & Co. KG,
Herzbergstr. 3, 61138 Niederdorfelden, Germany

Note:

Prospan Cough Syrup contains a herbal active substance. Owing to this herbal extract, Prospan Cough Syrup may occasionally appear slightly cloudy or taste slightly different. This does not have any effect, however, on the quality of the product.

Therapeutic ivy - Natures force:

For hundreds of years, many people have placed their trust in the effective healing power of wild medicinal ivy for the treatment of inflammatory illnesses of the respiratory tract. Engelhard Arzneimittel has taken the knowledge handed down on this power of nature and has further developed it through years of intensive research. The result is an original ivy extract, which is manufactured using a special process and which can be found in all Prospan preparations. With this extract, the power of medicinal ivy can be put to best use in a modern way.

PROSPAN - a solution for your cough:

Prospan causes thick mucus to become liquefied, thereby making it easier to cough up. At the same time, the urge to cough is reduced. In this way, Prospan combats the typical symptoms of bronchitis: excessive production of thick mucus, shortness of breath and the urge to cough, thereby allowing the patient to breathe freely again.

Prospan Cough Syrup is free from alcohol, sugar and gluten.

We wish you a speedy recovery.

پرو اسپن
کھانسی کا شربت

استعمال سے پیشتر بوتل کو اچھی طرح ہلائیں۔
بوتل کھلنے کے بعد پرو اسپن شربت کو تین ماہ تک استعمال کیا جاسکتا ہے۔
دوا کو 25°C سے کم درجہ حرارت پر رکھیں۔
تمام ادویات بچوں کی پہنچ سے دور رکھیں۔

Manufactured by:



ENGELHARD
Arzneimittel

Engelhard Arzneimittel GmbH & Co. KG
D-61138 Niederdorfelden, Germany

Packed by:



ROUTE2HEALTH (PVT.) LIMITED
229 - Sundar Industrial Estate
Rawind Road, Lahore, Pakistan.
An associated company of

HIGHNOON LABORATORIES LTD.